

5 41496



5 30700

Lagerlängen : 6,0 m

5 40319

Lagerlänge 5,0 m

5 40343



Blechstreifen für Luftspalt Rinne - Träger

x = 15° Blech 20mm TS Nr. 5 212




x = 20° Blech 30mm TS Nr. 5 213

x = 30° Blech 40mm TS Nr. 5 214

x = 40° Blech 50mm TS Nr. 5 215

Lagerlänge 6 m

x = Neigungswinkel des Trägers



5 45170

Lagerlängen: 4,0 m
5,3 m
7,0 m



5 2456

Lagerlängen: 4,0 m
5,3 m
7,0 m



5 42510

Lagerlängen: 7,0 m




5 40805

Lagerlängen: 7,0 m

5 77240

Lagerlänge: 7,0 m




5 77235

Lagerlänge: 4,0 m

4,6 m

5,5 m

7,0 m




5 77239

Lagerlänge: 4,0 m

4,6 m

5,5 m

6,3 m



5 77236


Lagerlänge: 4,0 m

4,6 m

5,5 m

6,3 m

7,0 m



5 41514


Lagerlänge: 4,3 m

4,6 m

5,5 m

6,3 m


7,0 m



5 77233

Lagerlänge: 7,0 m


Stahlverstärkung 30x30x3
Nr. 5 30302



5 77100

Lagerlänge: 6,0 m


7,0 m



5 77102

Lagerlänge: 6,0 m


7,0 m



5 77104

Lagerlänge: 6,0 m

7,0 m




5 78470

Lagerlänge: 6,0 m 5 40205

Lagerlänge: 6,0 m 5 40206


Lagerlänge: 6,0 m 5 40200




Lagerlänge: 6,0 m 5 40201




5 77101

Lagerlänge: 7,0 m







5 77244




5 77270




5 78482
Lagerlänge: 5,5 m



5 78481
Lagerlänge: 5,5 m




5 78491
Lagerlänge: 5,5 m




Lagerlänge: 1,0 m
1,3 m
5 44102



5 77269



5 77222



5 77246

